



PIPE WELDING TOOLS



BETTER PROFITABILITY
BETTER ERGONOMICS
BETTER QUALITY





AMA® HD Rotator Set



AMA® HD Rotator 6010

AMA® HD Table 6020



New boost for rotating pipes: AMA® HD Rotator and AMA® HD Table

Handle pipes effortlessly, even big ones!

Motorized, battery-operated pipe rotating device is a compact innovation for the prefabrication of pipes. With the patented AMA® HD Rotator, even large pipes can be rotated easily and ergonomically.

Motorized rollers rotate pipes with diameters up to 1,000 mm, and the battery can last up to entire work day. The rotator can also be connected to the mains power supply. Grip is ensured by tightening the roller strap and the rotation speed can be adjusted with a pedal or the potentiometer of the control unit.

AMA® HD Rotator is easy to move thanks to its wheels, and the non-motorized AMA® HD Table is available for it as an auxiliary pipe stand. In both devices, the pipe is lifted and lowered easily with a hydraulic pump.

With the AMA® HD product family, you can easily customize the operations of your prefabrication workshop for different projects.

Easy and efficient, right?





AMA® HD Rotator Set
Product code 6030
Including Rotator, Table and Support



PATENTED



AMA® HD Rotator
Product code 6010

AMA® HD Table
Product code 6020



AMA® HD Support
Product code 6040





AMA® HD Rotator Set

AMA® HD ROTATOR (6010)

Motorized, easy-to-move, heavy duty pipe rotator

- For pipe diameters of 100 - 1,000 mm
- Battery operation and mains operation
- Ergonomic working position
- Height adjustment range 440 - 870 mm (from the bottom of the pipe)
- Height is adjusted manually with a hydraulic pump
- Space-saving, easy to move on wheels
- Stands firmly on legs during use
- Good grip thanks to a roller belt, which keeps the pipe firmly against the rotator wheels
- Speed can be controlled from a pedal or the potentiometer of the control panel
- The direction of pipe rotation is selected with foot pedals
- Pull-out rack for angle grinder



Product code 6010

AMA® HD TABLE (6020)

Heavy duty hydraulic manual roller table

- Non-motorized pipe stand
- For pipe diameters of 100 - 1,000 mm
- Great auxiliary stand when using the HD Rotator
- Pipes rotate smoothly on rubber wheels
- Equipped with fastener chain -> Can also be used alone without a motorized rotator
- Height is adjusted manually with a hydraulic pump
- Height adjustment range 440 - 870 mm (from the bottom of the pipe)
- Ergonomic working position
- Space-saving, easy to move on wheels
- Stands firmly on legs during use
- Pull-out rack for angle grinder



Product code 6020

AMA® HD SUPPORT (6040)

Sturdy galvanized pipe stand with ball casters

- Convenient auxiliary stand for use with AMA® HD rotators
- For pipe diameters of 100 - 1,200 mm
- Pipes rotate smoothly on stainless steel ball casters
- Height can be adjusted even with a pipe on it
- Easy to move by tilting on the wheels



Product code 6040

AMA® HD technical specifications



AMA® HD Rotator

PRODUCT CODE 6010

Motorized pipe rotator

- Battery operation 20 Ah and mains power 240 V (also available for 110 V)
- Maximum load capacity 1,500 kg
- Weight 200 kg
- Torque of rotator wheel 80 Nm
- Motor information:
 - Current: 4,7 A
 - Power: 1000 W
 - Voltage: 100-240 V (Also available with a 110 V plug)
 - Frequency: 50/60 Hz
- Patented, CE marked, manufactured in Finland
- Maintenance and spare parts service available
- 1 year warranty for defects in workmanship or materials



AMA® HD TABLE

PRODUCT CODE 6020

Hydraulic pipe rotator table without a motor

- Maximum load capacity 1,500 kg
- Weight 170 kg
- Patented, CE marked, manufactured in Finland
- Maintenance and spare parts service available
- 1 year warranty for defects in workmanship or materials



AMA® HD SUPPORT

PRODUCT CODE 6040

Auxiliary stand for pipe rotating

- Maximum load capacity 900 kg
- Weight 43 kg, galvanized frame
- Stainless steel ball casters (diameter 45 mm) are moved in slots according to pipe size
- Manufactured in Finland, spare parts service available
- Height adjustment range 380 - 870 mm
- 1 year warranty for defects in workmanship or materials





AMA Roller®

AMA Roller® Pipe rotator

PRODUCT CODE 7010

Efficient and compact pipe rotator which is suitable for both construction sites and prefabrication workshops. The AMA Roller® rotates pipes at the selected speed.

- For pipe diameters of 30 - 500 mm
- Increases the speed and efficiency of a pipe welder's work
- Improves profitability
- Improves the quality of the welding seam
- Improves ergonomics
- Reduces starts and stops
- Reduces differences in skill levels between different welders
- Weight 23 kg + pipe stand A 33 kg
- Maximum rotating load 30 Nm
- Suitable for all manual welding methods: MIG, MAG, TIG and MMA
- Manufactured in Finland

PATENTED

Improves efficiency by up to 30%

Ergonomic welding position



Product code 7010

Foot pedal operation

Rotating speed and direction adjustable



Attachment with quick fasteners to the A stand






AMA Roller®

The AMA Roller® rotates pipes when:

- You use an angle grinder to cut
- You tack-weld
- You weld
- You clean the base
- You brush an stainless/acid resistant seam
- You weld difficult materials




Suitable for pipe diameters 30-500 mm



Light and easy to move

Reduces errors




Easy to turn to a vertical position





AMA Roller®



Specifications

- Patented
- CE-marked
- Weight 23 kg + pipe stand A 33 kg
- Nominal voltage 220/230 V
- Also available in 110 V
- Current 0.9 A
- Frequency 50/60 Hz
- Power 100 W
- Diameter range of pipes to be rotated 30-500 mm
- Maximum rotation load 30 Nm
- Maximum rotation speed 1.25 m/min

Examples of AMA Roller®'s maximum rotation load (30Nm):



Example: pipe 6 m + curve (curve radius = 1.5 x pipe diameter)

Pipe diameter (D):

Max wall thickness (T):

30 - 300 mm

10 mm

350 mm

8 mm

400 mm

6 mm

500 mm

4 mm



AMA Roller® user experiences



We don't go anywhere without AMA® equipment

"Overall, AMA® products improves the efficiency of work by up to tens of percents. At all of our construction sites, our professionals use the AMA® Pipe Stand set all the time in both prefabrication and pipeline construction. Basically, we don't go anywhere without them."

Jari Kytöaho, Majek Oy

AMA Roller® Boosts Welding Production

"Simply put, the device makes our welding and installation work easier and more productive. I have measured and calculated that it improves our welding production by up to 30% annually."

Paul Heiskanen, KPH Tech Oy



Standard tools for our professionals

"At first we acquired the AMA® Centering Collar and Collar Tightener – and over the years, the range of AMA® professional tools we use has expanded. We use them in many ways at installation sites and for prefabrication.

The flexibility and versatility of the products is important because there are very rarely identical jobs when working with prefabricated products.

I can say that the same level of products cannot be found anywhere on the market.

In demanding industrial environments, the quality of work must always be excellent. This can be done with high-quality professional equipment."

Jaakko Pietilä, Fineweld Oy



Fast, efficient and accurate

"AMA® products enable an ergonomic working position. The products are adjustable, which means you can do almost anything with them. These tools make work quick, efficient and accurate!"

Lars Nyberg, Wellco Welding AB

Great for mobile factory work

"We have found the pipe racks to be very good for daily mobile factory work. We perform a large number of very demanding welds in factory environments where the quality of the work must meet strict requirements. When using AMA® products, the work is of high quality, safe and efficient."

Janne Vuoristo, Viafin Process Piping Oy




Just sit down and weld away

"You have the energy and ability to do precision welding more efficiently and for a longer time. Thanks to AMA® pipe welding products, the quality of our workmanship is very high, and the products are also great for industrial pipelines that remain exposed and visible after installation."

Kauko Berg, K.B-Welding Oy





Stainless
tensioning
chain

Stainless
rolls are moved
according to
diameters of
pipes

A

Product code 1010

PIPE WELDING STAND A (1010)

- Stainless steel rolls
- Stainless steel tensioning chain
- Adjustable height: 840-1100 mm
- Maximum load-bearing capacity 1,500 kg
- Application with chain tensioning: 15 - 720 mm pipes
- Application without chain tensioning: 700-1000 mm pipes
- Weight 33kg



Stainless balls are
moved according to
diameters of
pipes

B

Product code 1020

PIPE WELDING STAND B (1020)

- Stainless steel ball rollers
- Adjustable height: 800-1100 mm
- Maximum load-bearing capacity 560 kg
- Application: pipe sizes 15 - 720mm
- Weight 14 kg



Convenient
aid stand

C

Product code 1030

PIPE WELDING STAND C (1030)

- Aid stand
- Adjustable height: 800-1200 mm
- Adjustable height also when the pipe is on the stand
- Maximum load-bearing capacity 560 kg
- Application: pipe sizes 15 - 720 mm
- Weight 6 kg



Centering Collars

Basic centering collar set

Product code 3040



Mini centering collar set

Product code 3060



Centering Collars

Extremely quick, accurate and easy-to-use centering collars for pipes. Reduces installation and welding errors to a minimum.

Basic centering collar set

PRODUCT CODE 3040

- Includes 7 pcs collars and one collar tightener
- Includes the following collars:
DN150, DN200, DN250, DN300,
DN/NS 350, DN/NS 400 and DN/NS 500
- Includes a normal collar tightener (3010)

Mini centering collar set

PRODUCT CODE 3060

- Includes the collars DN65, DN80, DN100 and DN125
- Includes a mini collar tightener (3030)
- Includes a collar holder for toolbox (3050)



Collar tighteners



Collar tighteners

A collar tightener is used to tighten the collar so that centering the pipes is as accurate as possible.

Earn more
by optimising working
methods and
equipment



Mini collar tightener
Product code 3030
Recommendation: DN65-DN150

Large collar tightener
Product code 3020
Recommendation: DN/NS 600 - DN/NS 1500

Normal collar tightener
Product code 3010
Recommendation: DN 150-DN/NS 500

LARGE COLLAR TIGHTENER (3020)

- Manufacturing material stainless steel
- Thrust bearings
- Recommended for collar sizes DN/NS 600 and larger ones
- Weight 2.4 kg
- 50 mm longer tensioning length
- Stronger torque
- Also better suited for thick-walled pipes

NORMAL COLLAR TIGHTENER (3010)

- Manufacturing material stainless steel
- Thrust bearings
- Recommended for collar sizes DN150 - DN/NS 500
- Weight 2.3 kg

MINI COLLAR TIGHTENER (3030)

- Manufacturing material stainless steel
- Thrust bearings
- Recommended for collar sizes DN65 - DN150
- Weight 0.9 kg, light to handle
- Small and convenient collar tightener on the side





Collar sizes

Choose a suitable AMA centering collar here:

| Product code | DN size | Inch size | AMA centering collars DN / inch: | Pipe OD Min mm | Max mm |
|--------------|---------|-----------|--|----------------|--------|
| 1065 | 65 | 2,5" | DN65 Acid resistant collar with hinge | 73 | 82 |
| 1080 | 80 | 3" | DN80 Acid resistant collar with hinge | 85 | 90 |
| 1100 | 100 | 4" | DN100 Acid resistant collar | 110 | 120 |
| 1125 | 125 | 5" | DN125 Acid resistant collar | 138 | 145 |
| 1150 | 150 | 6" | DN150 Acid resistant collar | 165 | 175 |
| 1200 | 200 | 8" | DN200 Acid resistant collar | 215 | 225 |
| 1250 | 250 | 10" | DN250 Acid resistant collar | 270 | 285 |
| 1300 | 300 | 12" | DN300 Acid resistant collar | 320 | 330 |
| 1350 | 350 | 14" | DN/NS 350 Acid resistant collar | 354 | 365 |
| 1400 | 400 | 16" | DN/NS 400 Acid resistant collar | 400 | 420 |
| 1450 | 450 | 18" | DN/NS 450 Acid resistant collar | 445 | 465 |
| 1500 | 500 | 20" | DN/NS 500 Acid resistant collar | 500 | 520 |
| 1600 | 600 | 24" | DN/NS 600 Acid resistant collar, two part | 600 | 630 |
| 1700 | 700 | 28" | DN/NS 700 Acid resistant collar, two part | 700 | 730 |
| 1800 | 800 | 32" | DN/NS 800 Acid resistant collar, two part | 800 | 830 |
| 1900 | 900 | 36" | DN/NS 900 Acid resistant collar, two part | 900 | 930 |
| 11000 | 1000 | 40" | DN/NS 1000 Acid resistant collar, two part | 1000 | 1030 |
| 11100 | 1100 | 44" | DN/NS 1100 Acid resistant collar, two part | 1100 | 1130 |
| 11200 | 1200 | 48" | DN/NS 1200 Acid resistant collar, two part | 1200 | 1230 |
| 11300 | 1300 | 52" | DN/NS 1300 Acid resistant collar, two part | 1300 | 1330 |
| 11400 | 1400 | 56" | DN/NS 1400 Acid resistant collar, two part | 1400 | 1430 |
| 11500 | 1500 | 60" | DN/NS 1500 Acid resistant collar, two part | 1500 | 1530 |

| Product code | AMA Centering collars with NS measurements: | Pipe OD Min mm | Max mm |
|--------------|---|----------------|--------|
| 1100NS | NS100 Acid resistant collar with hinge | 100 | 110 |
| 1125NS | NS125 Acid resistant collar | 125 | 137 |
| 1150NS | NS150 Acid resistant collar | 150 | 165 |
| 1200NS | NS200 Acid resistant collar | 200 | 215 |
| 1250NS | NS250 Acid resistant collar | 250 | 265 |
| 1300NS | NS300 Acid resistant collar | 300 | 315 |

Notel Collars from 350 are suitable for both NS and DN dimensioning.

Collar types



HINGE COLLARS

- Sizes DN65, DN80
- Recommended collar tightener: 3030

ONE-PART COLLARS

- Sizes DN100 - DN/NS 500
- Recommended collar tightener: 3010

TWO-PART COLLARS

- Sizes DN/NS 600 - DN/NS 1500
- Recommended collar tighteners:3020

Collar holder for toolbox

PRODUCT CODE 3050

The collar holder allows collars and the collar tightener to be conveniently hung on the outside of the toolbox. The holder is locked when the lid of the toolbox is locked.



Product code 3050



Purge gas turntable for pipe stand A



Product code 4030



Product code 4040

Purge gas turntable for pipe stand A

- Hand-rotated, ball-bearings
- Gas supply from middle of turntable
- Round tabletop of stainless steel

Purge gas turntable 200

PRODUCT CODE 4030

- For pipes up to DN200 (8")

Purge gas turntable 400

PRODUCT CODE 4040

- For pipes up to DN400 (16")

Rubber ring set and rack for pipe stand A

For rollers of pipe stand A



Product code 4006

E.g. for pipes with thick joints



Product code 4020

Rubber ring set for rollers of pipe stand A

PRODUCT CODE 4006

- 4 rubber rings and fastening glue

Rack for Pipe Stand A

PRODUCT CODE 4020

- Galvanized steel

Polyurethane wheels for pipe stand B


Plain bearing (4008)

Ball bearing (4009)

- Also includes storage hooks

Wheels and rollers for pipe stand B

Does not scratch pipe



Product codes 4008 and 4009



Product code 4003



Product code 4013

Stainless steel ball roller for pipe stand B

PRODUCT CODE 4003

- Load capacity 280 kg / ball roller

Plastic ball roller for pipe stand B

PRODUCT CODE 4013

- Load capacity 25 kg / POM plastic ball

Counterweight system fastened with collars



Product code 4000

Installation is quick

Makes it easier to handle pipes with elbows and projecting parts



Counterweight system on collars

PRODUCT CODE 4000

Includes:

- Counterweight tensioner/fastener:
 - fitted with thrust bearings
- Weights: galvanized steel, approx. 9 kg/weight (4 weights)
- Carrying case for weight
- Total weight 43 kg
- Centering collars to be purchased separately



"AMA Roller® zwiększa wydajność o 30%"

"Urządzenie po prostu ułatwia i zwiększa wydajność naszych prac spawalniczych i montażowych"

"Szybkość naszej produkcji ręcznego spawania znacznie wzrosła"

"Lepsza jakość zmniejsza również potrzebę prac wykończeniowych i naprawczych"

"AMA Rollerobraca wszystkie typy elementów, które wcześniej wymagały pracy ręcznej"

Wyłączny dystrybutor w Polsce:
Muxhel Industrial Solutions

+48 787264918
biuro@muxhel.pl
www.muxhel.pl

MUXHEL
INDUSTRIAL SOLUTIONS



Producent:
Welner Oy, Finland
www.welner.fi, www.amaroller.fi